AUTHOR INDEX

Volume 69 • 1995

Abe, K. *See* Chu, P.-J.
Adachi, K. *See* Majima, M.
Adachi-Akahane, S. *See* Sato, Y.
Ajisawa, Y. *See* Yamazaki, Y.
Akahane, M. *See* Yamazaki, Y.
Akashi, T. *See* Uchida, S.
Akuzawa, S. *See* Miyata, K.
Amano, H., Fujimoto, Kazuko, Suzuki, T., Fujii, Takeshi, Mochizuki, S., Tomiyama, A. and Kawashima, K.
Chronic KT3-671 in SHRSP 215
Aragane, K. *See* Kusunoki, J.
Ariyoshi, S. *See* Enomoto, K.
Asakawa, T. *See* Enomoto, K.
Asami, T. *See* Ida, I.
Asano, S. *See* Matsuda, T.
Auguet, M., Viossat, I., Marin, J.-G. and Chabrier, P.-E.
Agmatine and inducible NO-synthase 285

Baba, A. *See* Matsuda, T.
Ban, T. *See* Sada, H.
Bonaventure, P. *See* Schotte, A.

Chabrier, P.-E. *See* Auguet, M.
Chen, C.-F. *See* Chueh, F.-Y.
Chiyotani, A. *See* Tamaoki, J.
Chu, P.-J., Shirahata, A., Samejima, K., Saito, H. and Abe, K.
APCHA as a spermine antagonist 311
Chueh, F.-Y., Hsieh, M.-T., Chen, C.-F. and Lin, M.-T.
Depressor effect of tetrahydropalmatine 177
Church, M.K. *See* Okayama, Y.

Dezaki, K., Kimura, I., Miyahara, K. and Kimura, M.
Effects of PF and GLR on Ca^{2+} mobilization 281

Ebina, Y. *See* Sada, H.
Egawa, M. *See* Matsuda, T.
Enomoto, K., Takano, M., Ariyoshi, S. and Asakawa, T.
Adenylate cyclase inhibition by G protein 239

Fujii, S. *See* Hosono, M.
Fujii, Takeshi *See* Amano, H.
Fujii, Tomoko *See* Fujino, Y.
—— *See* Inazu, N.
Fujiki, H. *See* Itoh, S.
Fujimoto, Katsuhiro, Yamamura, K., Hayashi, T., Osada, T. and Sakurai, T.
Effect of levofloxacin-albumin graft 443
Fujimoto, Kazuko *See* Amano, H.
Fujino, Y. and Fujii, Tomoko
Chromaffin cells in hypoglycemia 413
Fujita, T. *See* Sada, H.
Fukunaga, Y. *See* Kishioka, S.
Fukuroda, T. *See* Hioki, Y.
Fukuyama, S. *See* Kita, Y.
Futamura, Y.
Cytokines from macrophages with amiodarone 335

Gomi, Y. *See* Suzuki, N.
Goto, Y. and Maeyama, K.
Release and synthesis of histamine 167

Hagino, Y. *See* Nomura, T.
Harada, H. *See* Okabe, S.
Harada, Y. *See* Shoda, T.
Hasegawa, S. *See* Nomura, T.
Hatanaka, K. *See* Shoda, T.
Hayashi, T. *See* Fujimoto, Katsuhiro
Hayashi, Y. *See* Hosono, M.
Higashinakagawa, S. *See* Kusunoki, J.
Hioki, Y., Itoh, Y., Nakajima, A., Fukuroda, T., Ohasi, H., Kamei, T. and Yano, M.
A novel β_3-adrenoceptor agonist, AZ002 251
Hirasawa, Y. *See* Kita, Y.
Hiroi, J. *See* Okayama, Y.
Hiruma, T. *See* Hosono, M.
Hosono, M., Fujii, S., Hiruma, T., Watanabe, Kiyoshi, Hayashi, Y., Ohnishi, H., Takata, Y. and Kato, H.
Sympatho-inhibitory action of cilnidipine 127
Hosono, M., Hiruma, T., Watanabe, Kiyoshi, Hayashi, Y., Ohnishi, H., Takata, Y. and Kato, H.
Cilnidipine and responses to cold stress 119
Hsieh, M.-T. *See* Chueh, F.-Y.
Huang, R., Okuno, H., Takasu, M., Shiozaki, Y. and Inoue, K.
Rifampicin and CCl_4 hepatotoxicity 325

Ida, I., Asami, T. and Kuribara, H.
Cocaine sensitization and MK-801 83
Ikeda, Y. *See* Uchida, S.
Ikezawa, K. *See* Murata, T.
Imai, K. *See* Sato, Y.
Ina, Y. *See* Tomaru, A.
Inazu, N. and Fujii, Tomoko
CR in rats raised from Px mothers 17
Inoue, H., Nagata, N. and Koshihara, Y.
5-HT and capsaicin-induced edema 61
Inoue, K. *See* Huang, R.
Inoue, N. *See* Kishioka, S.
Ip, S.-P. *See* Ko, K.-M.
Ito, H. *See* Yamano, M.
Itoh, S., Mori, T., Yoshida, K., Fujiki, H., Tominaga, M. and Yabuuchi, Y.
Combination of OPC-18790 and dopamine 229
Itoh, Y. *See* Hioki, Y.
Iwata, K. *See* Okabe, S.

Janssen, P.F.M. *See* Schotte, A.

Kaise, T., Ohmori, K., Sakakura, Y. and Ukai, K.
KW-4679 on allergic rhinitis 435
Kamato, T. *See* Miyata, K.
—— *See* Yamano, M.
Kameda, Y. and Ueda, F.
Effect of irsogladine on ionomycin action 223
Kamei, T. *See* Hioki, Y.
Kaminuma, O. *See* Murata, T.
Kaneda, T., Shimizu, K., Nakajyo, S. and Urakawa, N.
Phorbol ester on rat anococcygeus muscle 195
Kanno, M. *See* Tohse, N.
Karasawa, A. *See* Kishibayashi, N.
—— *See* Tomaru, A.

Kase, N. *See* Kusunoki, J.
Kashida, T. *See* Murata, T.
Kato, H. *See* Hosono, M.
Katori, M. *See* Majima, M.
—— *See* Shoda, T.
Kawai, H., Umemura, K. and Nakashima, M.
Effect of argatroban on brain ischemia 143
Kawashima, K. *See* Amano, H.
Kim, H.S. *See* Matsuda, T.
Kimura, I. *See* Dezaki, K.
Kimura, M. *See* Dezaki, K.
Kimura, S. *See* Nishiyama, M.
Kishibayashi, N. *See* Tomaru, A.
Kishibayashi, N. and Karasawa, A.
KW-5092 on gastric mucosal blood flow 269
Kishioka, S., Inoue, N., Nishida, S., Fukunaga, Y. and Yamamoto, H.
Naloxone-withdrawal and plasma morphine 187
Kita, Y., Fukuyama, S. and Hirasawa, Y.
NO formation and biological activities 69
Kitahara, M., Toyoda, K., Yamashita, T., Sakashita, M., Tanaka, S. and Saito, Y.
Efonidipine on cholesterol metabolism 101
Kitamine, T. *See* Kusunoki, J.
Kiyota, Y. *See* Yano, S.
Ko, K.-M., Mak, D.H.F., Li, P.-C., Poon, M.K.T. and Ip, S.-P.
Enhancing GSH regeneration capacity 439
Kobayashi, M. *See* Yamazaki, Y.
Kokue, E. *See* Kudo, G.
Kondo, M. *See* Tamaoki, J.
Konno, K. *See* Tamaoki, J.
Koshihara, Y. *See* Inoue, H.
Kudo, G., Ohgushi, N., Shimoda, M. and Kokue, E.
Effects on folate absorption 135
Kuribara, H. *See* Ida, I.
Kuribayashi, Y. *See* Majima, M.
Kurita, M. *See* Sanae, F.
Kuriyama, K. and Ohkuma, S.
NO and central synaptic transmission 1
Kusunoki, J., Aragane, K., Kitamine, T., Higashinakagawa, S., Kase, N., Yamaura, T. and Ohnishi, H.
Hypolipidemic action of F-1394 in rats 53

Lau, L.C.-K. *See* Okayama, Y.
Leysen, J.E. *See* Schotte, A.
Li, P.-C. *See* Ko, K.-M.
Lin, M.-T. *See* Chueh, F.-Y.

Maeyama, K. *See* Goto, Y.
Majima, M. *See* Shoda, T.
Majima, M., Adachi, K., Kuribayashi. Y., Mizogami, S. and Katori, M.
Sodium and vasoconstriction 149
Mak, D.H.F. *See* Ko, K.-M.
Mambo, T. *See* Suzuki, N.
Marin, J.-G. *See* Auguet, M.
Masaki, T. *See* Nishiyama, M.
Matsubara, K. and Okubo, K.
Human molecular biology 181
Matsuda, T., Yoshikawa, T., Suzuki, M., Asano, S., Somboonthum, P., Takuma, K., Nakano, Y., Morita, T., Nakasu, Y., Kim, H.S., Egawa, M., Tobe, A. and Baba, A.
MKC-242, a potent 5-HT_{1A} agonist 357
Matsui, S. *See* Nomura, T.
Matsumoto, Yoshito *See* Tojyo, Y.
Matsumoto, Yukio *See* Murata, T.

Miyahara, K. *See* Dezaki, K.
Miyamoto, K. *See* Sanae, F.
Miyata, K., Yamano, M., Kamato, T. and Akuzawa, S.
5-HT_3 receptor and gastric emptying 205
Miyata, K. *See* Yamano, M.
Mizogami, S. *See* Majima, M.
Mochizuki, S. *See* Amano, H.
Mori, T. *See* Itoh, S.
Morishita, T. *See* Uchida, S.
Morita, T. *See* Matsuda, T.
Murata, T., Matsumoto, Yukio, Kashida, T., Kaminuma, O., Naito, K., Ikezawa, K. and Tsuzurahara, K.
ACE inhibitors and vascular permeability 111
Murayama, T., Oda, H., Watanabe, A. and Nomura, Y.
Arachidonic acid release by ATP 43

Nagao, T *See* Sato, Y.
Nagata, N. *See* Inoue, H.
Naito, K. *See* Murata, T.
Nakajima, A. *See* Hioki, Y.
Nakajima, N. *See* Nishiyama, M.
Nakajyo, S. *See* Kaneda, T.
Nakano, Y. *See* Matsuda, T.
Nakashima, M. *See* Kawai, H.
Nakasu, Y. *See* Matsuda, T.
Nishida, S. *See* Kishioka, S.
Nishijima, M. *See* Shoda, T.
Nishiyama, M., Takahara, Y., Masaki, T., Nakajima, N. and Kimura, S.
Endothelin receptors in human vein 391
Nomura, H. *See* Nomura, T.
Nomura, T., Ohtsuki, M., Watanabe, T., Hasegawa, S., Matsui, S., Tomita, A., Sumi-Ichinose, C., Nomura, H. and Hagino, Y.
Glibenclamide and hepatic metabolism 173
Nomura, Y. *See* Murayama, T.

Oda, H. *See* Murayama, T.
Oda, M. *See* Yamamoto, N.
Ogino, M. *See* Shoda, T.
Ohasi, H. *See* Hioki, Y.
Ohgushi, N. *See* Kudo, G.
Ohkuma, S. *See* Kuriyama, K.
Ohmae, S. *See* Sanae, F.
Ohmori, K. *See* Kaise, T.
Ohnishi, H. *See* Hosono, M.
—— *See* Kusunoki, J.
Ohtsuki, M. *See* Nomura, T.
Okabe, S., Shimosako, K. and Harada, H.
Leminoprazole and gastric secretion 91
Okabe, S., Takinami, Y., Iwata, K. and Yanagawa, T.
Leminoprazole and reflux esophagitis 317
Okamiya, K. *See* Shinoda, M.
Okayama, Y., Hiroi, J., Lau, L.C.-K. and Church, M.K.
Effect of quinotolast on human lung cells 375
Okubo, K. *See* Matsubara, K.
Okuno, H. *See* Huang, R.
Omura, Y.
Effects of NaCl on monoamine oxidase 293
Osada, T. *See* Fujimoto, Katsuhiro

Poon, M.K.T. *See* Ko, K.-M.
Prados, P. *See* Sato, Y.

Sada, H., Ban, T., Fujita, T., Ebina, Y. and Sperelakis, N.
Role of Na^+ current in automaticity 159
Saito, H. *See* Chu, P.-J.

Saito, M. *See* Shoda, T.
Saito, Y. *See* Kitahara, M.
Sakakura, Y. *See* Kaise, T.
Sakashita, M. *See* Kitahara, M.
Sakurai, T. *See* Fujimoto, Katsuhiro
Samejima, K. *See* Chu, P.-J.
Sanae, F., Ohmae, S., Kurita, M., Sawanishi, H., Takagi, K. and Miyamoto, K.
Cardiac activities of alkylxanthines 75
Sanae, F., Ohmae, S., Takagi, K. and Miyamoto, K.
PDE inhibitors and verapamil in inotropy 277
Sato, Y., Adachi-Akahane, S., Prados, P., Imai, K. and Nagao, T
Desensitization to a β_1-adrenoceptor full agonist 343
Sawanishi, H. *See* Sanae, F.
Schotte, A., Bonaventure, P., Janssen, P.F.M. and Leysen, J.E.
Risperidone receptor interaction 399
Shibayama, T. *See* Suzuki, N.
Shimizu, K. *See* Kaneda, T.
Shimoda, M. *See* Kudo, G.
Shimosako, K. *See* Okabe, S.
Shinagawa, K. *See* Yamazaki, Y.
Shinoda, M., Okamiya, K. and Toide, K.
Effect of JTP-4819 on brain TRH-LI 273
Shiozaki, Y. *See* Huang, R.
Shirahata, A. *See* Chu, P.-J.
Shoda, T., Hatanaka, K., Saito, M., Majima, M., Ogino, M., Harada, Y., Nishijima, M., Katori, M. and Yamamoto, S.
COX-2 in rat endometrium 289
Somboonthum, P. *See* Matsuda, T.
Sperelakis, N. *See* Sada, H.
Sumi-Ichinose, C. *See* Nomura, T.
Suzuki, M. *See* Matsuda, T.
Suzuki, N., Shibayama, T., Mambo, T. and Gomi, Y.
Tone in guinea pig ileum 23
Suzuki, T. *See* Amano, H.

Takagi, K. *See* Sanae, F.
Takahara, Y. *See* Nishiyama, M.
Takano, M. *See* Enomoto, K.
Takasu, M. *See* Huang, R.
Takata, Y. *See* Hosono, M.
Takeda, H. *See* Yamazaki, Y.
Takemura, H. *See* Tamaoki, J.
Takinami, Y. *See* Okabe, S.
Takuma, K. *See* Matsuda, T.
Tamaoki, J., Kondo, M., Chiyotani, A., Takemura, H. and Konno, K.
Saiboku-to stimulates NO generation 29
Tanaka, S. *See* Kitahara, M.
Tanimura, A. *See* Tojyo, Y.
Tobe, A. *See* Matsuda, T.
Tohse, N. and Kanno, M.
Effect of dofetilide on nodal cells 303
Toide, K. *See* Shinoda, M.
Tojyo, Y., Tanimura, A. and Matsumoto, Yoshito
Phosphatase inhibitors suppress Ca^{2+} entry 381
Tomaru, A., Ina, Y., Kishibayashi, N. and Karasawa, A.
Adenosine and twitch response 429
Tominaga, M. *See* Itoh, S.
Tomita, A. *See* Nomura, T.
Tomiyama, A. *See* Amano, H.
Toyoda, K. *See* Kitahara, M.
Tsuzurahara, K. *See* Murata, T.

Uchida, S., Morishita, T., Ikeda, Y. and Akashi, T.
Anti-inflammatory effect of FP-T 37
Ueda, F. *See* Kameda, Y.
Ukai, K. *See* Kaise, T.
Umemura, K. *See* Kawai, H.
Urakawa, N. *See* Kaneda, T.

Viossat, I. *See* Auguet, M.

Watanabe, A. *See* Murayama, T.
Watanabe, Kazuo *See* Yamamoto, M.
—— *See* Yano, S.
Watanabe, Kiyoshi *See* Hosono, M.
Watanabe, T. *See* Nomura, T.

Yabuuchi, Y. *See* Itoh, S.
Yamamoto, H. *See* Kishioka, S.
Yamamoto, M. *See* Yano, S.
Yamamoto, M., Yano, S. and Watanabe, Kazuo
Acid secretion and vagus nerve in mice 259
Yamamoto, N., Yokota, K., Yoshidomi, M., Yamashita, A. and Oda, M.
Cerebral protective effect of KBT-3022 421
Yamamoto, S. *See* Shoda, T.
Yamamura, K. *See* Fujimoto, Katsuhiro
Yamano, M. *See* Miyata, K.
Yamano, M., Ito, H., Kamato, T. and Miyata, K.
Selectivity of 5-HT_3-receptor antagonist 351
Yamashita, A. *See* Yamamoto, N.
Yamashita, T. *See* Kitahara, M.
Yamaura, T. *See* Kusunoki, J.
Yamazaki, Y., Shinagawa, K., Takeda, H., Kobayashi, M., Akahane, M. and Ajisawa, Y.
CCK-A specific antagonism of KSG-504 367
Yanagawa, T. *See* Okabe, S.
Yano, M. *See* Hioki, Y.
Yano, S. *See* Yamamoto, M.
Yano, S., Kiyota, Y., Yamamoto, M. and Watanabe, Kazuo
NANC relaxation in mouse stomach 9
Yokota, K. *See* Yamamoto, N.
Yoshida, K. *See* Itoh, S.
Yoshidomi, M. *See* Yamamoto, N.
Yoshikawa, T. *See* Matsuda, T.

SUBJECT INDEX

Volume 69 • 1995

Acid pump inhibitor 91
Acute cold stress 119
Acyl-CoA:cholesterol acyltransferase (ACAT) inhibitor 53
Adenosine 75
Adenosine receptor 429
Adenylate cyclase 239
Adipocyte 251
Adrenal chromaffin cell 413
Adrenaline derivative 251
β_1-Adrenoceptor 343
β_3-Adrenoceptor 251
Agmatine 285
Agonist 357
Airway (guinea pig) 111
Airway epithelium 29
Albumin 443
Alkylxanthine 75
Allergic rhinitis (experimental, guinea pig) 435
Alveolar macrophage 335
Ambulatory activity 83
N-(3-Aminopropyl)cyclohexylamine (APCHA) 311
Amiodarone 335
Amylase release 367
Angiotensin II 149
Angiotensin AT_1-receptor antagonist 215
Angiotensin-converting enzyme inhibitor 111
Anococcygeus muscle 195
Antihypertensive effect 215
Anti-inflammatory 37
Antipsychotic 399
Arachidonic acid 43
Argatroban 143
Arrhenius plot 293
Arrhythmogenicity 229
Asthma 29
ATP 43
Automaticity 159
Autoradiography 399
AZ002 (L-*threo*-(3,4-dihydroxy phenyl)-*N*-methyl serine methyl ester) 251

von Bezold-Jarisch reflex (BJR) 351
Bile secretion 135
Binding assay 367
Body map 181
Body weight loss 187
Bradykinin 111
Brain (rat) 239

Ca^{2+}, cytosolic 195
Ca^{2+}, intracellular 43
Ca^{2+}, intracellular concentration 173, 223
Ca^{2+} entry (capacitative) 381
Ca^{2+} mobilization 281
Ca^{2+} sensitization 195
Calcium channel 277
Capsaicin 61
Carbon tetrachloride 325, 439
Carbonyl reductase 17
Cardiac inotropic activity 75
Catecholamine release 413
cDNA analysis 181
Cellular cAMP level 173
Cerebrovascular disorder 421
Chinese medicine 29
Cholecystokinin receptor 367
Cholesterol absorption 53
Cholesterol-fed rat 53
Cholesteryl ester 101
Chromaffin cell 413
Cilnidipine 119, 127
Cocaine sensitization 83
ω-Conotoxin 127
Corticosterone (plasma) 187
Cyclic AMP 101, 173
Cyclooxygenase 289
Cyclooxygenase inhibitor 421
Cytochrome P-450 325
Cytokine 335
Cytosolic Ca^{2+} 195

Delayed rectifier K^+ current 303
Denbufylline 277
12-Deoxyphorbol 13-isobutylate 195
Depletion of intracellular Ca^{2+} store 381
Desensitization 343
Development (chick heart) 159
Dispersed human lung cell 375
DNA technology 181
Dofetilide 303
Dopamine 229
Down-regulation 343
Drug interaction 83

E-4031 (1-[2-(6-methyl-2-pyridyl)ethyl]-4-(4-methylsulfonylaminobenzoyl)pireridine) 303
Ear edema (mouse) 61
Edema (ear, mouse) 61
Efonidipine 101
Eicosanoid 375
Eicosapentaenoic acid 335
Endometrium 289
Endopeptidase 273
Endothelin 391
Endothelin receptor 391
Endothelin receptor antagonist 391
Enzyme inhibition 239
Epithelium (airway) 29
Esophagitis (reflux) 317
Estradiol 289
Exocytosis 413
Experimental allergic rhinitis (guinea pig) 435
Expression profiling of genes 181

F-1394 ((1S,2S)-2-[3-(2,2-dimethylpropyl)-3-nonylureido]aminocyclohexane-1-yl 3-[*N*-(2,2,5,5-tetramethyl-1,3-dioxane-4-carbonyl)amino]propionate) 53
Famotidine 259
FK409 ((±)-(*E*)-ethyl-2-[(*E*)-hydroxyimino]-5-nitro-3-hexenamide) 69
Flurbiprofen 37
Folate 135

G protein 239
Gap-junctional intercellular communication 223
Gastric acid secretion 259
Gastric emptying 205
Gastric mucosal blood flow 269
Gastric relaxation 9
Gene expression 181
Genome (human) 181
Glibenclamide 173
Glutathione regeneration capacity 439
Glycyrrhizin 281
Graft infection 443

Halothane 229
Heart (chick) 159
Heidenhain pouch dog 91
Histamine 259, 375
Histamine release 167
Histidine decarboxylase 167
Hog kidney monoamine oxidase 293
5-HT (serotonin) 61, 177, 357
5-HT receptor 61
5-HT_{1A} receptor 357
5-HT_4 receptor 205
5-HT-receptor antagonist 61
5-HT_3-receptor antagonist 351
Human genome project 181
Hydroxy quinotolast 375
Hypocholesterolemic action 53
Hypoglycemia 413
Hypotensive effect 177
Hypoxia 421

Ileum (guinea pig) 23, 429
Immunoreactivity (TRH-like) 273
Inducible enzyme 285
Infant rat 413
Inhibitory effect of NaCl 293
Inotropic activity 75
Inotropic agent (positive) 229
Inotropic effect 343
Inotropy (negative) 277
Intercellular communication 223
Intestinal absorption 135
Intracellular calcium 43
Intracellular Ca^{2+} concentration 173, 223
Intracellular Ca^{2+} store 381
Intravenous morphine infusion 187
Ion channel 303

Ionomycin 223
Irsogladine 223
Ischemia 421

JTP-4819 ((*S*)-2-[[(S)-2-(hydroxyacetyl)-1-pyrrolidinyl]carbonyl]-*N*-(phenylmethyl)-1-pyrrolidinecarboxamide) 273

K^+ current (delayed rectifier) 303
KBT-3022 (ethyl 2-[4,5-bis-(4-methoxyphenyl)thiazol-2-yl]pyrrol-1-ylacetate) 421
Kininogen-deficient rat 149
KSG-504 ((*S*)-arginium (*R*)-4-[-*N*-(3-methoxypropyl)-*N*-pentylcarbamoyi]-5-(2-naphthylsulfonyl) pentanoate monohydrate) 367
KT3-671 (2-propyl-8-oxo-1-[(2′-(1*H*-tetrazole-5-yl)biphenyl-4-yl)methyl]-4,5,6,7-tetrahydro-cycloheptimidazole) 215
KW-4679 (*Z*-11-(dimethylaminopropyliden)-6,11-dihydrodibenzoxepin-2-acetic acid hydrochloride) 435
KW-5092 ({1-[2-[[[5-(piperidinomethyl)-2-furanyl]methyl]amino]ethyl]-2-imidazolidinylidene}propanedinitrile fumarate) 269

Leminoprazole 91, 317
Levofloxacin 443
Lipoprotein (β-very low density) 101
Liver injury 325
Local effect 91
Longitudinal muscle 23
Lung cell (human dispersed) 375

Macrophage (alveolar) 335
Macrophage (J774) 101
Malondialdehyde 325
α,β-Methylene ATP 127
Microthrombosis 143
Mitochondria 293
Mitochondrial outer membrane 293
MK-801 ((+)-5-methyl-10,11-dihydro-5*H*-dibenzo[*a*,*d*]cyclohepten-5,10-imine) 83
MKC-242 (5-{3-[((2S)-1,4-benzodioxan-2-ylmethyl)amino]propoxy}-1,3-benzodioxole HCl) 357
Monoamine oxidase 293
Morphine 187
3-Morpholinosydnonimine (SIN-1) 69
Muscarinic m1 receptor 167

Naloxone-withdrawal 187
Nasal blockage 435
Negative inotropy 277
Neuromuscular junction 281
Neuron (primary cultured) 311
Neuronal survival 311
Neurotransmitter release 1
Nitric oxide (NO) 1, 9, 29, 69, 285
Nitric oxide (NO) generator 1
NMDA receptor 1
Non-adrenergic non-cholinergic (NANC) 9
Norepinephrine 149, 269
Norepinephrine release 127

Occulusion 143
Omeprazole 91, 317
OPC-18790 ((±)-6-[3-(3,4-dimethoxybenzylamino)-2-hydroxypropoxy]-2(1*H*)-quinolinone) 229
Ovary 17

Paeoniflorin 281
Pancreatic acini 367
Parathyroidectomy in pregnancy 17
Parotid acinar cell 381
PC12 cell 43
Penetration (transdermal) 37
Persistent estrus 17
Phosphodiesterase isoenzyme 75
Pithed spontaneously hypertensive rat 127
Plasma corticosterone increase 187
Plasma exudation 111
Plasma morphine concentration 187
Positive inotropic agent 229
Pregnancy 17
Pressor response 119
Primary cultured neuron 311
Prolyl endopeptidase 273
Protein kinase C 195, 335
Pyrimethamine 135

Quinotolast 375

Receptor binding 399
Reflux esophagitis 317
Regeneration 311
Renal lesion 215
Repeated administration 83
Rifampicin 325
Risperidone 399

Saphenous vein (human) 391
Sarafotoxin 391
Schisandra chinensis 439
Schizophrenia 399
Segment 23
Serine/threonine phosphatase inhibitor 381
Serotonin (5-HT) 61, 177, 357
Simulation 159
SIN-1 (3-morpholinosydnonimine) 69
Sinoatrial node cell 303
Sodium accumulation 149
Sodium nitroprusside (SNP) 69
Spermine 311
Spontaneously hypertensive rat 119, 127
Stomach (mouse isolated) 9, 259
Stress 119
Strip 23
Stroke-prone spontaneously hypertensive rat 215
Structure-activity relationship 75
β,γ-Subunits 239
Sucralfate 317

T-0509 ((−)-(*R*)-1-(3,4-dihydroxyphenyl)-2-[(3,4-dimethoxyphenethyl)amino]ethanol hydrochloride) 343
Tape 37
dl-Tetrahydropalmatine 177
Thapsigargin 381
Thrombin 143
Thrombotic middle cerebral artery occlusion 143
Thyrotropin-releasing hormone (TRH)-like immunoreactivity 273
TMB-8 (8-(diethylamino)octyl-3,4,5-trimethoxy-benzoate hydrochloride) 223
Tone (ileum) 23
Transdermal penetration 37
Twitch response (ileum) 429

Vagal stimulation 9
Vagus nerve 259, 351
Vascular permeability 111
Vasoconstriction 149
Veratridine 351
β-Very low density lipoprotein 101
Voltage-clamp 159

Whole mitochondria 293

Xanthine, alkyl- 75

YM060 ((*R*)-5-[(1-methyl-3-indolyl)carbonyl]-4,5,6,7-tetrahydro-1*H*-benzimidazole hydrochloride) 205
YM114 (KAE-393) ((*R*)-5-[(2,3-dihydro-1-indolyl)carbonyl]-4,5,6,7-tetrahydro-1*H*-benzimidazole hydrochloride) 205